

TABLE OF CONTENTS

I. INTRODUCTION.....	1
1.1 Purpose.....	1
1.2 Contents.....	1
1.3 Objectives	2
1.4 Criteria Summary	2
1.4.1 Drainage Design and Technical Criteria.....	2
1.4.2 Minor and Major Drainage Systems	3
1.4.3 Storm Runoff Computation.....	4
1.4.4 Detention.....	4
1.4.5 Flood Corridor Management.....	4
1.4.6 NPDES Construction Site Activities	5
1.4.7 Post Construction Stormwater Quality	5
1.4.8 Drainage Easements	5
1.5 Submittals.....	6
1.6 Software	6
1.7 References	6
2. HYDROLOGY.....	7
2.1 Overview.....	7
2.1.1 Hydrologic Method Selection	7
2.1.2 Frequency Design Criteria.....	7
2.2 Rational Method	8
2.2.1 Concept and Equation	8
2.2.2 Application.....	8
2.2.3 Common Errors and Limitations	14
2.3 NRCS Unit Hydrograph Method.....	14
2.3.1 Concepts and Equations.....	14
2.4 References	22
3. PAVEMENT DRAINAGE AND STORM SEWER	23
3.1 Overview.....	23
3.2 Pavement Drainage Criteria	23
3.2.1 Return Period	23
3.2.2 Spread and Cross Street Flow.....	23
3.2.3 Longitudinal Grade	24
3.2.4 Cross Slope	24
3.2.5 Curb and Gutter	24

3.3	Gutter Flow Calculations	24
3.4	Stormwater Inlets.....	25
3.4.1	Overview	25
3.4.2	Grate Inlets.....	25
3.4.3	Curb Inlets.....	26
3.5	Storm Sewer.....	29
3.5.1	Overview	29
3.5.2	Design Criteria	29
3.5.3	Capacity Calculations.....	31
3.5.4	Energy Grade Line and Hydraulic Grade Line	32
3.5.5	Manholes	32
3.6	References	32
4.	OPEN CHANNELS	33
4.1	Overview.....	33
4.2	Open Channel Flow.....	33
4.2.1	Critical Depth	34
4.2.2	Froude Number	35
4.2.3	Manning’s Equation	35
4.3	Open Channel Design Criteria	35
4.3.1	General Criteria	35
4.3.2	Channel Transitions	36
4.3.3	Return Period Design Criteria.....	36
4.3.4	Velocity Limitations	36
4.3.5	Freeboard	36
4.3.6	Grade Control Structures	37
4.3.7	Manning’s Equation	37
4.3.8	Flow in Bends.....	41
4.3.9	Shear Stress	41
4.4	Construction and Maintenance Considerations	46
4.5	References	46
5.	DESIGN OF CULVERTS.....	47
5.1	Overview.....	47
5.2	Engineering Design Criteria.....	47
5.2.1	Return Period	47
5.2.2	Headwater Elevation.....	48
5.2.3	Tailwater Elevation	48

5.2.4	Inlet and Outlet Control.....	48
5.2.5	Culvert Shape, Cross Section, and Material.....	50
5.2.6	Velocity.....	51
5.2.7	Culvert Sizes.....	51
5.2.8	Manning’s n Values.....	51
5.2.9	Length, Slope, and Alignment.....	51
5.2.10	Multiple Barrels and Spans.....	51
5.2.11	End Treatments.....	52
5.2.12	Culvert Inlet Configurations.....	52
5.2.13	Broken-back Culverts.....	54
5.2.14	Debris Control.....	55
5.2.15	Anchorage.....	55
5.2.16	Fill Heights and Loading Requirements.....	56
5.2.17	Storage Routing.....	56
5.3	References.....	56
6.	ENERGY DISSIPATION.....	57
6.1	Overview.....	57
6.2	Design Criteria.....	57
6.2.1	Dissipator Type Selection.....	57
6.2.2	Design Limitations.....	58
6.2.3	Design Options.....	58
6.2.4	Related Designs.....	59
6.3	Design Procedures.....	60
6.4	References.....	60
7.	STORAGE FACILITIES.....	61
7.1	Overview.....	61
7.2	Detention and Retention.....	61
7.2.1	Computer Programs.....	62
7.2.2	Plan Review.....	62
7.2.3	Ownership and Maintenance of Storage Facilities.....	62
7.3	Design Criteria.....	62
7.3.1	General Criteria.....	62
7.3.2	Release Rate.....	63
7.3.3	Storage Volume.....	63
7.3.4	Grading and Depth.....	63

7.3.5	Outlet Works	63
7.3.6	Location and Downstream Analysis	64
7.4	General Hydraulic Procedure	64
7.5	Safe Dams Act.....	65
7.6	Maintenance Considerations	65
7.7	Protective Treatment.....	66
7.8	Trash Racks and Safety Grates	66
7.9	References	66
8.	EROSION AND SEDIMENT CONTROL.....	67
8.1	Purpose and Scope.....	67
8.1.1	General Information for SWPPPs.....	67
8.1.2	Common SWPPP Objectives.....	68
8.2	SWPPP Requirements for Construction Activity.....	69
8.2.1	Summary of Required SWPPP Items for Construction Activity	70
8.2.2	SWPPP Development – Site Assessment and Planning	72
8.2.3	SWPPP Erosion and Sediment Control Requirements.....	74
8.2.4	Good Housekeeping Requirements	76
8.3	Best Management Practice (BMP) Selection	79
8.3.1	Steps in Selection of Control Measures	79
8.4	Erosion and Sediment Control Best Management Practices	82
8.4.1	Safety Fence.....	82
8.4.2	Stabilized Construction Entrance.....	82
8.4.3	Construction Road Stabilization.....	82
8.4.4	Silt Fence	83
8.4.5	Storm Drain Inlet Protection.....	83
8.4.6	Culvert Inlet Protection	84
8.4.7	Temporary Diversion Dike	84
8.4.8	Temporary Fill Diversion	85
8.4.9	Check Dams.....	85
8.4.10	Level Spreader	85
8.4.11	Temporary Slope Drain.....	86
8.4.12	Temporary Vehicular Stream Crossing.....	86
8.4.13	Turbidity Curtain	86
8.4.14	Temporary Sediment Trap	87
8.4.15	Temporary Sediment Basin	87
8.4.16	Dust Control	87

8.4.17	Vegetative Stream Bank Stabilization	88
8.4.18	Topsoiling.....	88
8.4.19	Temporary Seeding	89
8.4.20	Permanent Seeding.....	89
8.4.21	Sodding.....	89
8.4.22	Mulching.....	90
8.4.23	Soil Stabilization Blankets and Matting.....	90
8.4.24	Preserving Natural Vegetation.....	91
8.4.25	Wattles.....	91
8.4.26	Compost Socks	92
8.4.27	Compost Berm.....	92
8.4.28	Compost Blanket.....	93
8.4.29	Wheel Wash Area.....	93
8.4.30	Soil Binders.....	94
8.5	Good Housekeeping Best Management Practices.....	95
8.5.1	Construction Scheduling and Sequencing.....	95
8.5.2	Sanitary Waste Management.....	96
8.5.3	Solid Waste Management.....	96
8.5.4	Material Delivery and Storage.....	97
8.5.5	Street Cleaning/Sweeping.....	99
8.5.6	Vehicle and Equipment Fueling.....	100
8.5.7	Concrete Washout.....	101
8.6	SWPPP Inspection and Maintenance Procedures.....	103
8.7	References	104
9.	POST-CONSTRUCTION BEST MANAGEMENT PRACTICES.....	105
9.1	Overview.....	105
9.1.1	Clean Water Act Requirements	105
9.2	Applicability.....	105
9.3	General Planning and Design Guidelines.....	106
9.3.1	Ownership and Maintenance of Best Management Practices.....	106
9.4	Design Criteria.....	106
9.4.1	New Development.....	107
9.4.2	Redevelopment.....	107
9.4.3	Percentile Rainfall Event.....	107
9.4.4	Minimum Design Criteria.....	108

9.5	Platting and Site Plan Review	110
9.5.1	Procedures	110
9.5.2	Submittals.....	110
9.5.3	Off-Site Stormwater Mitigation	112
9.6	Post-Construction Stormwater BMPs	112
9.6.1	BMP Selection	113
9.7	Maintenance of Controls.....	114
9.8	Landscaping.....	114
9.9	References	114

List of Figures

Figure 2-1.	Intensity-Duration-Frequency Curves	11
Figure 2-2.	Unit Peak Discharge, q_u	21
Figure 3-1.	Depressed Curb Inlet	27
Figure 3-2.	Curb Inlet Opening Configurations.....	29
Figure 4-1.	High Shear Stress Zone in Bends.....	42
Figure 5-1.	Example Inlet Control Flow Condition.....	49
Figure 5-2.	Typical Outlet Control Flow Conditions.....	49
Figure 5-3.	Single Broken-back Culvert.....	54
Figure 5-4.	Double Broken-back Culvert.....	55

List of Tables

Table 2-1.	Recommended Hydrologic Methods	7
Table 2-2.	Design Frequency Criteria.....	8
Table 2-3.	Maximum Sheet Flow Lengths	9
Table 2-4.	Manning’s Roughness Coefficients for Sheet Flow	10
Table 2-5.	Velocity Equations for Shallow Concentrated Flow.....	10
Table 2-6.	Rainfall Intensity Tabular Data.....	11
Table 2-7.	Runoff Coefficients for Developed Areas.....	12
Table 2-8.	Runoff Coefficients for Undeveloped Areas	13
Table 2-9.	24-Hour Accumulated Rainfall Total.....	14
Table 2-10.	Curve Numbers for Developed Areas ¹	16
Table 2-11.	Curve Numbers for Undeveloped Areas ¹	17
Table 3-1.	Allowable Maximum Street Encroachment.....	23
Table 3-2.	Allowable Maximum Cross-Street Flow	24
Table 3-3.	Manning’s n Values for Street and Pavement Gutters	25

Table 4-1.	Open Channel Manning’s Roughness Coefficients.....	38
Table 4-2.	Ratios of Channel Side to Bottom Shear Stress.....	42
Table 4-3.	Ratios of Channel Bend to Bottom Shear Stress.....	43
Table 4-4.	Typical Ratios of Effective to Bottom Shear Stress.....	44
Table 4-5.	Typical Permissible Shear Stresses for Bare Soil and Stone Linings.....	45
Table 5-1.	Factors Affecting Inlet and Outlet Control.....	50
Table 5-2.	Equivalent Pipe Cross Sections	50
Table 5-3.	Entrance Loss Coefficients, Outlet Control	53
Table 6-1.	Requirements for Energy Dissipation	57
Table 8-1	Erosion Control BMP Selection Matrix.....	80
Table 8-2	Sediment Control BMP Selection Matrix.....	81
Table 9-1.	Rainfall Depth (P) By Region for Defined Percentile Rainfall Events.....	108
Table 9-2.	Water Quality Discharge Rate (Q _{wq}) for Selected Impervious Areas by Region	109
Table 9-3.	BMP Design Guidance for Various Regulatory Agencies	113