

# Nebraska H20 Stormwater Management Plan (SWMP)

NPDES Stormwater Discharge Authorization Number NER310003

A digital copy of this report with links to supporting documentation can be found at <a href="https://info.cityoflex.com/stormwater/currentannualreport.pdf">https://info.cityoflex.com/stormwater/currentannualreport.pdf</a>

Issued July 1, 2017

Revised April 1, 2024

# 

# MCM 1 & 2 - PUBLIC EDUCATION, OUTREACH AND INVOLVEMENT

## PUBLIC EDUCATION, OUTREACH AND INVOLVEMENT - DECISION PROCESS AND RATIONALE

This MS4 **Public Education and Outreach (PEO) Strategy** is a targeted approach to delivering education, training and public involvement and is tailored to target audiences and groups of individuals that may influence stormwater quality associated with municipal stormwater runoff. The City can have a significant influence on the education and training provided to youth, residents, and businesses by delivering public education and outreach activities. By focusing on the target audiences described in this PEO Strategy, the City can best develop awareness of stormwater BMPs, increase knowledge about recommended and required BMPs, and develop skills for correctly implementing BMPs.

**PEO Strategy Goal 1**: Educate and train the public, specifically municipal staff, to follow recommended and required BMPs; the steps the target audience can take to reduce stormwater pollution.

**PEO Strategy Goal 2:** Use a combination of appropriate strategies to reach target audiences that can implement stormwater BMPs.

1. **PEO Strategy Goal 3**: Inform the public about how to participate in environmental stewardship opportunities, review the SWMP and report about illicit discharges and other municipal stormwater pollution concerns.

**PEO Strategy BMPs**: The PEO Strategy Goals are supported by the PEO Strategy BMPS described throughout the SWMP. The following PEO Strategy BMPs provide details about how the City of Lexington accomplishes PEO Strategy Goals.

- **BMP 1.1** Develop, maintain and distribute stormwater education materials that are tailored, current and relevant to the SWMP.
- **BMP 1.2** Facilitate citizen participation opportunities for implementation of stormwater controls that protect receiving waters.
- BMP 1.3 Maintain public review, comment and input resources that support the SWMP.
- **BMP 3.4** Deliver education about the impact of illicit discharges, common types of illicit discharges, and response procedures when illicit discharges are identified.
- **BMP 4.4** Deliver education about the impact of construction-related stormwater pollution, construction site erosion, sediment and good housekeeping BMPs, inspection and enforcement requirements.
- **BMP 6.4** Deliver education about impact of municipal maintenance activities and maintenance facility operation on stormwater, operation BMPs, inspection and compliance requirements.

**PEO Strategy Defining Activities**: The PEO Strategy BMPs are all defined by a set of materials and efforts that the City maintains

**PEO Strategy Implementation Activities**: The PEO Strategy BMPS are measured by as set of goals that the City implements. SWMP tables list the goals for the activity, a measure for evaluation and assessment, and the reporting

for annual performance that is compared against the evaluation and assessment targets. The implementation tables follow the same general format shown below.

The City of Lexington has identified the following target audiences for the education and outreach program that are likely to have stormwater quality impacts: homeowners, pet owners, commercial & industrial businesses, construction site operators, and engineers/architects/developers/realtors. These target audiences were chosen due to the impact of their activities and their availability to be reached. These target audiences have been designated to address different types of non-point source pollution through the Public Education and Outreach program. Household hazardous wastes, pet waste, oil and other fluids from automobiles, and grass clippings are examples of high priority, community-wide pollutant issues.

The City of Lexington education and outreach program will use an array of formats to reach the public. The City will use stormwater pamphlets, social media, press releases, and newspaper articles. This reaches all age groups and genders using these various media platforms. The City of Lexington Development Services Department has a website and an email address on the City's webpage.

The City of Lexington will actively involve the public in the development and implementation of the Stormwater Management Program by providing public notices when updating ordinances pertaining to the City of Lexington Stormwater Management Program. City Council meetings and Planning Commission meetings will allow the public to ask questions and give comments prior to the approval of any city ordinance changes.

The City of Lexington will actively approach any group regardless of ethnicity or economic status as it pertains to stormwater pollution. Pollutant source identification is the key component of the City's Stormwater Management Program. Any group, whether industrial, trade, environmental, or educational, is approachable.

The types of public involvement and participation activities the City of Lexington uses include park and trail cleanup Days, a household hazardous waste disposal day, and storm drain inlet marking done by volunteer groups.

The City of Lexington Development Services Director is responsible for overall management and implementation of the City's education and outreach program. The Development Services Director can be found at the City Hall and reached at 308-324-2341 ext. 1112.

The City of Lexington will evaluate the success of the education and outreach program by implementing effective measures for each BMP that will be met and acknowledged for each reporting period, as outlined in this Plan and Annual Report.

## MCM1 & 2: BMP 1: DEVELOP, MAINTAIN AND DISTRIBUTE CURRENT EDUCATION MATERIALS

1.1.1. Coordinate the Public Education and Outreach Strategy with updates and maintenance of general stormwater education or outreach materials for distribution to residential, construction, industrial and commercial sources identified as high priority, community-wide issues related to the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

## The PEO Strategy identifies the following:

- Goals, objectives, target messages, and audiences for information.
- Resources used and frequency for distributing information.

Reference:				Frequency:			
The City of Lexingto	The City of Lexington PEO Strategy				Annually		
Description	Target Audience	Messages	Methods/Resources		Last Provided	Next Due	
Online Websites	General Public	Basic Stormwater Protection Awareness – Stormwater Program Management and BMP topics	City of Lexington Wel	osite	2024	2025	
Social Media	General Public	Basic Stormwater Protection Awareness – Stormwater Program Management and BMP topics	City of Lexington Face	ebook	2024	2025	
Internet Advertisements	General Public	Basic Stormwater Protection Awareness – Stormwater Program Management and BMP topics	Lexington "City Happenings" Newslet	ter	2024	2025	
Branded Materials	General Public	Basic Stormwater Protection Awareness – Prevent pollution by keeping water draining to inlets, streams and lakes clean	Distribute materials to personal interaction a mail	-	2024	2025	

Plan Changes in 2025: None

Links: City Website Newsletters Education Materials

1.1.2 Distribute general stormwater education or outreach materials related to the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

Reference:	Public Education and Outreach Tracking Form				
Responsible:	Stormwater Coordinator	Frequency: Ongoing Annually			
Goals:		Evaluation and A	ssessment:	Performance:	
ADMINISTRATI management we	VE: Use stormwater program ebsites	Current		Yes	
EFFECTIVENESS: Use of Social Media for stormwater program management and BMP information		A goal of 12 per year		Yes	
for stormwater	: Use of Internet Advertisements awareness	A goal of 4 per ye	ar	Yes	
branded materia	: Use of Stormwater program- als for stormwater awareness to us tours, events, trainings, and	A goal of 100 inte public; general cit and staff interacti	izens, contractor	Yes	
Plan Changes in	2025: None	•			

#### MCM 1 & 2: BMP 2: CITIZEN PARTICIPATION IN IMPLEMENTATION OF STORMWATER CONTROLS

- 1.2.1 Coordinate the Public Education and Outreach Strategy with updates and maintenance of opportunities for citizens to participate in the implementation of stormwater controls, raising awareness for the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff. The Strategy includes for these opportunities and events:
  - Goals, objectives, target messages and audiences
  - Resources used and frequency

Reference:					
The City of Lexingt	The City of Lexington PEO Strategy			Annually	
Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Clean-up Day	General Public	Provide community awareness of impacts of pollution to local waterbodies	Coordination with organization	2024	2025
Household Hazardous Waste Disposal Day	General Public	Prevent pollution by disposing household hazardous waste properly	Advertise through print and social media	2022	Scheduled in May of 2025
Plan Changes in 2	025: None Clear	Up Report KLB Direct	tor no longer employe	d, numbers n	ot available.

1.2.2 Provide general stormwater education or outreach tours and events that raise awareness for the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

Reference:	Public Education and Outreach Tracking Form			
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually	
Goals:		Performance:		
ADMINISTRATION: Record Stormwater Education		Yes		
& Outreach ever	nt			
EFFECTIVENESS: General Public attendance at		None		
outreach events				
EFFECTIVENESS: Citywide household Hazardous				
Waste Disposal	event			
Plan Changes in	2025: None			

#### MCM 1 & 2: BMP 3: PUBLIC INVOLVEMENT AND PARTICIPATION MATERIALS

- 1.3.1 Coordinate the Public Education and Outreach Strategy with materials that demonstrate compliance with State and local public notice requirements and involve the public in planning and implementation of programs and activities related to the City of Lexington Stormwater Management Program and NPDES Permit. The PEO Strategy identifies the following:
  - Target messages and audiences for public involvement and participation
  - Resources used and frequency for providing public involvement and participation

Reference:					y:	
The City of Lexington PEO Str Lexington City Code Chapter				Annually		
Description Description	Target Audience	Messages	Method es	s/Resourc	Last Provided	Next Due
MS4 Permit	General Public	Regulations and Ordinances are available for the public to use and follow for compliance	Availabl demand Website	l, City	2024	2025
Stormwater Management Plan	General Public	Regulations and Ordinances are available for the public to use and follow for compliance	Availabl demand Website	l, City	2024	2025
Stormwater Program Ordinances for:  Illicit Discharge Detection and Elimination  Erosion and Sediment Control  Post-Construction Stormwater Treatment	General Public	Regulations and Ordinances are available for the public to use and follow for compliance	Availabl demand Website	l, City	2024	2025
Formal Comments for Ordinance Adoption and Revision	General Public	Public input helps form public policy and ordinances for protecting water quality		sion, City if needed hanges,	2024	2025
Household Awareness Survey	General Public	Public input on program knowledge and awareness of pollution	Digital S	urvey		2025
Plan Changes in 2025: None	. Survey was r	not completed in 2024, is	schedule	d for 2025.	City Websit	<u>e</u>

1.3.2 Provide public involvement and participation opportunities that demonstrate compliance with State and local public notice requirements and involves the public in planning and implementation of programs and activities of the SWMP.

Reference:	Public Education and Outreach Trac	king Form	
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually
Goals:		Evaluation and Assessment:	Performance:
<ul> <li>ADMINISTRATION: Provide program reference documents online and make available to the general public for the following:</li> <li>Municipal Separate Storm Sewer (MS4) Permit</li> <li>Storm Water Management Plan</li> <li>Illicit Discharge and Connection Ordinance</li> <li>Erosion and Sediment Control Ordinance</li> <li>Post-Construction Stormwater Treatment Ordinance</li> </ul>		Provided	Yes
receive input at	ION: Provide a public forum to pout proposed stormwater and ordinances.	Record public attendance and comment numbers.	Yes
ADMINISTRATION: Make web form and telephone resources available to the public for submitting requests, such as Mayors Phone Hotline, City web report form and Nebraska H <sub>2</sub> O web report form received from public requests related to stormwater information, potential pollution situations and stormwater program recommendations.		Report all resources utilized	Yes
regulations and	S: All proposed changes to ordinances are posted for review at prior to decision.	100%	Yes
committee (or s members that r Lexington Storn comment on pr ordinance chan recommendation in the SWMP.	S: Coordinate a stormwater similar group) with community eccive information about the City of nwater Program, to review and oposed program, policy and ges as well as make ons for program activities included	Number of participants and meetings. No changes in the plan and there were no public comments about the program.	1-12

#### MCM #3 ILLICIT DISCHARGE DETECTION AND ELIMINATION

#### ILLICIT DISCHARGE DETECTION AND ELIMINATION DECISION PROCESS AND RATIONALE

The purpose of this MCM is to minimize the effect of illicit discharges within the municipality. An IDDE program is followed and an ordinance has been enacted within the City Code. Dry weather inspections of storm sewer outfalls are performed within the community. Also, a detailed storm sewer map is maintained to track flow of stormwater and identify affected areas from illicit discharges. Finally, the City of Lexington's website allows the public to acknowledge their concerns regarding all forms of stormwater pollution.

The City of Lexington developed a stormwater system map by consolidating all information gathered by City of Lexington staff and other entities. This included all outfall points, inlets, storm sewer pipes, and manhole boxes. Maintenance and upkeep of this stormwater system map is done annually as as-builts and changes to the system occur.

The City of Lexington effectively prohibits illicit discharges with an active IDDE program that is identified in our Municipal Code, complete with an Enforcement Response Plan. The city holds violators accountable by implementing appropriate levels of enforcement, based on the nature and circumstances of the illicit discharge. City Municipal Code Chapter 12 defines and prohibits stormwater discharges.

The City of Lexington plans to ensure the illicit discharge ordinance, procedures, and actions are implemented through proper and consistent education of City employees to recognize illicit discharges, and train employees of the proper contacts to make in response to a discharge or spill incident. The City of Lexington has a protocol with an Enforcement Response Plan that identifies the procedure to follow based on the severity of noncompliance.

The IDDE Program defines protocol for reporting the requirement to investigate trace and remove potential illicit discharges, including illegal dumping or spills. Using appropriate City contact information (via phone or website), a citizen can identify to a responsible party what they saw. The citizen can remain anonymous or be known. The discharge is addressed and tracked until the issue is clean and a party is found responsible.

The City of Lexington informs public employees, businesses, and the general public about the hazards to water quality from illegal discharges and improper disposal of waste through training videos, posters, bulletins, website and press releases. As the IDDE Program continues to develop, additional materials or educational effort would include flyers, additional website content, social media, and providing more presentation materials for training purposes.

The City of Lexington Stormwater Manager is responsible for the overall management and implementation of the IDDE Program and its activities.

The City of Lexington evaluates the success of the IDDE Program through effectiveness measures to be met on a regular basis. The measures are acknowledged at each annual report to show the measure of success for the IDDE Program.

#### MCM3: BMP 1: DISCHARGE INVESTIGATION AND REMOVAL

- 3.1.1 Coordinate updates and maintenance of discharge record-keeping, investigation, removal and enforcement information in the MS4 Illicit Discharge Detection and Elimination (IDDE) Program, which references and defines the following:
- State and/or local regulatory mechanism(s) that effectively define allowable non-stormwater discharges and prohibit non-stormwater discharges into the storm sewer system related to illicit discharges (including on-site sewage disposal systems, spills, discharges, connections and dumping).
- Internal spill/dump/discharge/connection procedures, departmental staff responsibilities, contact information (including NDEE for occurrence believed to be an immediate threat to human health or the environment), and equipment used to investigate illicit discharges.
- Enforcement response protocol used to remove illicit discharges that occur within the MS4.
- Data collected, database used, and data export procedures for records of investigation, removal and enforcement efforts, enforcement status and outcomes for illicit discharges.
- Protocol for reporting the requirement to investigate and remove potential illicit discharges that flow into the MS4 from adjacent MS4 operators and property owners.

Reference	Frequency
City of Lexington Code	Review Annually
IDDE Program, Chapter 12	
Plan Changes in 2025: None	

# 3.1.2 Investigate, remove or cause responsible party to remove spills, illegal discharges and illicit connections within and into the MS4.

Reference:	IDDE Program Tracking Form		
	Stormwater Coordinator		On-going Annually
Responsible:		Frequency:	
Report:			

ADMINISTRATION: Record dates of all notifications of potential illicit discharges, stakeholders involved, investigation and communication efforts, status, and final resolution taken for potential illicit discharges.	GOAL: Record discharge information required.	No reports from the public.
<b>EFFECTIVENESS</b> : Initiate investigation of potential illicit discharges and/or contact adjacent MS4 operator within two days of notification.	GOAL: 100%	
<b>EFFECTIVENESS</b> : Once a source is determined, initiate notification of responsible party of potential illicit discharges within one working day of notification.	GOAL: 100%	
<b>EFFECTIVENESS</b> : Open records are updated once a week with status and any new information until the issue is resolved.	GOAL: 100%	
<b>EFFECTIVENESS</b> : Summarize all instances that were closed without resolution including who made determination to close the record and why the instance could not be resolved.	GOAL: Record instances closed without resolution	
Plan Changes in 2025: None. No spills or violation	s reported.	

#### MCM 3: BMP 2: DRY WEATHER SCREENING

- 3.2.1 Coordinate updates and maintenance of Dry Weather Screening Inspection and data collection information in the MS4 Illicit Discharge Detection and Elimination (IDDE) Program, which defines the following:
  - Basis for selecting outfall locations used to screen for the presence of illicit discharges to the MS4 considering likelihood of illicit connections or ambient sampling.
  - Frequency used to screen major and minor outfalls for the presence of illicit discharges to the MS4.
  - Current policies, staff, contact information, equipment, and known impairments or TMDL pollutants of concern used to conduct dry weather screening for the presence of illicit discharges to the MS4.
  - Field tests of selected chemical parameters, evaluation methods and sample concentration action levels for pollutants during dry weather screening that trigger determination to investigate flow as a potential illicit discharge to the MS4.
  - Data properties collected, geo-database used, illicit discharge identification and tracking database used, and data export procedures for reporting dry weather screening conducted to determine the presence of illicit discharges to the MS4.

Reference	Frequency
IDDE Program Appendix D	Review Annually
Report:	

3.2.2 Conduct Dry Weather Screening Inspections and record all results in the stormwater outfall geodatabase.

Reference:	Dry Weather Screening Tracking Form				
Responsible:	Stormwater Coordinator	On-going Annually – Summer or Fall			
Goals:		Report:		Measure	
<b>ADMINISTRATION</b> : Conduct and record outfall inspections in the outfall geodatabase within the calendar year.		GOAL: Input all records.			
EFFECTIVENESS: Screen each major outfall annually		GOAL: 100% of outfalls in 2023	3	100% complete	
<b>EFFECTIVENESS</b> : Investigate each minor outfall every three years		GOAL:			
Plan Changes in 2025: None 2024 Inspection Reports					

#### MCM 3: BMP 3: STORM SEWER SYSTEM MAPPING

- 3.3.1 Coordinate updates and maintenance of MS4 area maps and stormwater outfall location information in the MS4 Illicit Discharge Detection and Elimination (IDDE) Program, which defines and references the following:
  - Internal procedures, frequencies, municipal staff responsibilities, contact information, and equipment used to capture and verify existing and future stormwater outfall location information.
  - How outfall locations are described, minimum size of outfall required to be mapped, smaller size outfalls that may be mapped, and justifications for mapping smaller outfalls.
  - Sources of information used for the maps listing land use types, waters of the state, outfall locations, storm drain infrastructure, collection system and structural stormwater treatment BMPs.
  - Latest version of the outfall map with receiving waters.

Reference	Frequency
IDDE Program Chapter 12 City of Lexington GIS	Review Annually
Report:	

3.3.2 Maintain map, to the extent required by the permit, of current geographic locations of all stormwater outfalls, the approximate boundary of their drainage area that discharge to State-designated receiving waters in the MS4, dry weather field screening locations, storm drain infrastructure and collection system as well as structural stormwater treatment locations.

City of Lexington GIS As-built records, City of Lexington GIS				
Stormwater Coordinator	Frequency: On-going Annually		inually	
Goals:			Measure	
ADMINISTRATION: Maintain all outfall attribute updates in geo-database of stormwater outfall information currently available for major and minor outfalls.			No	
ADMINISTRATION: Update estimated drainage boundary attributes with existing and future land use at a minimum of five years for all outfalls that discharge to State-designated receiving waters in the MS4.			No	
<b>EFFECTIVENESS</b> : All outfall, storm drain infrastructure, collection system and storm water treatment geo-reference attributes are updated in the geo-database within one year of new construction or 30 days following routine outfall dry weather screening.			100%	
	Stormwater Coordinator  ON: Maintain all outfall es in geo-database of fall information currently jor and minor outfalls.  ON: Update estimated drainage utes with existing and future nimum of five years for all charge to State-designated in the MS4.  E: All outfall, storm drain collection system and storm to geo-reference attributes are geo-database within one year of n or 30 days following routine	Stormwater Coordinator  Report:  ON: Maintain all outfall es in geo-database of fall information currently jor and minor outfalls.  ON: Update estimated drainage utes with existing and future nimum of five years for all charge to State-designated in the MS4.  Stall outfall, storm drain collection system and storm to geo-reference attributes are geo-database within one year of nor 30 days following routine  Report:  GOAL: Maintained.  GOAL: Maintained.  GOAL: Maintained.  GOAL: Maintained.	Report:  ON: Maintain all outfall es in geo-database of fall information currently jor and minor outfalls.  ON: Update estimated drainage utes with existing and future nimum of five years for all charge to State-designated in the MS4.  E: All outfall, storm drain collection system and storm to geo-reference attributes are geo-database within one year of n or 30 days following routine  GOAL: Maintained.  GOAL: Maintained.  GOAL: Maintained.  GOAL: Maintained.	

#### MCM 3: BMP 4: ILLEGAL DISCHARGE AND IMPROPER WASTE DISPOSAL EDUCATION

- 3.4.1 Coordinate updates and maintenance of educational and training information for distribution related to the hazards associated with illegal discharges and improper disposal of waste in the Public Education and Outreach Strategy, which establishes the following:
  - Training program with at least one target message related to identification and reporting of illicit discharges and connections for a sector of Public Employees involved in Operation and Maintenance activities every reporting year.
  - At least one target message and distribution method for a sector of Public Employees not involved in Operation and Maintenance every reporting year.
  - At least one target message and distribution method for a sector of Commercial/Industrial Businesses within the MS4 every reporting year.
  - At least one target message and distribution method for at least one sector of the General Public within the MS4 every reporting year.

Reference:	wis4 every repoi			Frequenc	y:	
The City of Lexingt	on PEO Strategy			Annual	,	
Description	Target Audience	Messages	Methods/Resources		Last Provided	Next Due
Water Quality Brochure: Illicit Discharge Resource & References	Municipal Staff involved with O&M	Identify, report, investigate and remove Illicit Discharges and Connections	Available at O&M Fa	cility	2024	2025
Water Quality Brochure: Household Hazardous Waste	General Public	Prevent pollution by disposing household hazardous waste properly	Downloadable from website. Available at City Hall business counter.		2024	2025
Water Quality Brochure: Pet Waste	General Public	Prevent pollution from pet waste by collecting and disposing it properly	Downloadable from Available at City Hall counter.		2024	2025
Water Quality Brochure: Lawn and Garden Care	General Public	Prevent pollution by controlling lawn and garden waste and chemicals from leaving your property	Downloadable from website. Available at City Hall business counter.		2024	2025
Water Quality Brochure: Automotive Repair	Business Sector: Automotive Repair	Prevent pollution from automotive maintenance activities	Downloadable from Distributed to busine conducting automoti maintenance.  Available at City Hall counter.	esses ive	2024	2025

Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Water Quality Brochure: Outdoor Landscaping	Business Sector: Outdoor Landscaping	Prevent pollution from landscape maintenance activities	Downloadable from website. Available at City Hall business counter.	2024	2025
Water Quality Brochure: Restaurants	Business Sector: Restaurants	Prevent pollution from waste materials, oils and grease from restaurants	Downloadable from website. Distributed to restaurants. Available at City Hall business counter.	2024	2025
IDDE training	City staff involved with O&M of the street maintenance environment	Identify, report, and remove illicit discharges and connections	Water Quality Brochure: Illicit Discharge resources & references.	2024	2025
Plan Changes in 202	25: None				

3.4.2 Distribute information related to the hazards associated with illegal discharges and improper disposal of waste to Public Employees, Businesses and the General Public.

Education and Outreach Strategy T	racking Form	
Stormwater Coordinator	Frequency:	Ongoing Annually
	Evaluation and Assessme	nt: Performance:
rdous waste distributed matches	Material is current	Yes
	Material is current	Yes
o responsibilities, may come into observe an illicit discharge or illicit	Number trained	15+
imated target audience sector of s had information made available	75%	Yes
t audience sector of General Public	50%	Yes
cilities responsible for maintaining as part of their normal job may come into contact with or t discharge to the MS4, receive	100%	Yes
6: All City employees at cilities responsible for maintaining as part of their normal job may come into contact with or t discharge to the MS4, receive	100%	Yes
	Stormwater Coordinator  ON: Water Quality brochure for rdous waste distributed matches ategy.  ON: Water Quality brochure for pet ed matches current PEO Strategy.  ON: City Employees, who as part of presponsibilities, may come into observe an illicit discharge or illicit he MS4 completed training.  So At least seventy-five percent cimated target audience sector of reshad information made available reporting year.  So At least fifty percent (50%) of the retaudience sector of General Public made available to them in the responsible for maintaining as part of their normal job may come into contact with or the discharge to the MS4, receive one year of hire.  So All City employees at cilities responsible for maintaining as part of their normal job may come into contact with or the discharge to the MS4, receive one year of their normal job may come into contact with or the discharge to the MS4, receive the years.	Evaluation and Assessme  ION: Water Quality brochure for rdous waste distributed matches ategy.  ION: Water Quality brochure for pet ed matches current PEO Strategy.  ION: City Employees, who as part of presponsibilities, may come into observe an illicit discharge or illicit he MS4 completed training.  So At least seventy-five percent cimated target audience sector of shad information made available reporting year.  So At least fifty percent (50%) of the et audience sector of General Public in made available to them in the  So All new City employees at cilities responsible for maintaining of as part of their normal job may come into contact with or the discharge to the MS4, receive one year of hire.  So All City employees at cilities responsible for maintaining of as part of their normal job may come into contact with or the discharge to the MS4, receive one year of hire.  So All City employees at cilities responsible for maintaining of as part of their normal job may come into contact with or the discharge to the MS4, receive three years.  In Evaluation and Assessme Material is current ma

#### MCM #4 CONSTRUCTION STORMWATER MANAGEMENT

#### CONSTRUCTION STORMWATER MANAGEMENT DECISION PROCESS AND RATIONALE

The purpose of this MCM is to reduce pollutants in stormwater runoff from construction activities that result in land disturbance. In accordance with NDEE Administrative Code 119.10.002.12D, Nebraska Small MS4 General Permit NER310000 IV.B.3, and City of Lexington Municipal Code, the Construction Stormwater Program includes and adheres to the following elements:

- 1. Construction Stormwater Ordinance
- 2. Operator Requirements to Implement Sediment & Erosion Control, Waste, and Stormwater Controls
- 3. Construction Sediment & Erosion Control and Site Plans
- 4. Construction Site Inspection and Enforcement Procedures
- 5. Construction Stormwater Education

Construction Stormwater Design standards meeting the NDEE and NPDES Permit requirements are available on the City website. Construction site operators for sites disturbing one acre or more, or less than one acre if part of a larger common plan of development or sale are required to enact Erosion and Sediment Controls.

The City of Lexington requires erosion and sediment control measures on construction sites via City Code. The ordinance language ensures every construction project within the City Limits requires proper Erosion and Sediment Controls, as well as inspection and evaluation methods.

The City of Lexington has an Enforcement Response Plan (ERP) for the Erosion & Sediment Control Program which defines the level of enforcement based on the level of non-compliance. The ERP was created to address all levels of non-compliance. The City will follow through on issues of non-compliance until resolved. Communication with the violator, can vary from a phone call to a formal notice of violation to enforcement of Civil Penalties.

The City of Lexington has a defined list of pollutants, including solid waste and hazardous materials, which construction site operators are required to manage onside with Best Management Practices in City Ordinance. Waste materials include construction activity trash from building materials, equipment and vehicle track out, and potential sanitary waste.

The City of Lexington requires an Erosion and Sediment Control plan meeting the NDEE and NPDES Permit requirements for review by City staff. For sites greater than an acre, and those less than an acre bur part of a larger common plan of development or sale, a Stormwater Pollution Prevention Plan is required to be followed.

The City of Lexington Stormwater Manager are ultimately responsible for the management and overall implementation of the Construction Stormwater Program. Parts of this program operate outside the regular authority of the Stormwater Manager, specifically the elements of reviewing plans brought in front of the Development Review Team.

The City of Lexington has multiple effectiveness measures implemented to ensure the BMP's are being utilized correctly. Each annual report sent in to the NDEE will address these effectiveness measures and how to interpret them.

# MCM 4: BMP 1: MAINTENANCE, IMPLEMENTATION, AND ENFORCEMENT OF EROSION AND SEDIMENT CONTROL AUTHORITY

- 4.1.1 Coordinate maintenance of enforceable authority and escalation procedures in the MS4 Construction Stormwater (CSW) Program Guidance Document, which references local regulatory mechanisms that:
  - Defines and enables municipal enforcement.
  - Defines and requires construction erosion and sediment control implementation.
  - References local regulatory mechanism(s) that effectively defines waste control implementation.
  - References local regulatory mechanism(s) that effectively defines and establishes a range of penalty options and when they will be used to ensure compliance.

Referenc	Δ	Frequency
Kererene	<u> </u>	rrequericy
City Mun	cipal Code Chapter 12, CSW Program	Update:
		Review: Annually
Report:	Observations, recommendations, and/or changes made to program d permit year	efining documents during

4.1.2 Conduct procedures to investigate, remove and enforce each instance of construction stormwater non-compliance for observed non-compliance of the municipal code/ordinance.

Reference:	Construction Stormwater Enforcement Tracking Form				
Responsible:	Stormwater Coordinator	Frequency: On-going Annually		ually	
Goals:		Report:		Measure	
notifications of stormwater pro stakeholders inv communication enforcement if t resolution taker	ON: Record dates of all potential construction gram non-compliance. Record volved, investigation efforts, efforts, interim steps of taken to resolve, and final for potential construction gram non-compliance.	GOAL: 100%		100%	
potential constr	i: Initiate investigation of uction stormwater program within two working days of dentification.	GOAL: 100%		100%	
once a week wit	i: Open records are updated th status and any new il the issue is resolved.	GOAL: Total number of instand	ces.	100%	
Plan Changes in	2025: None	•	,		
<u>Inspections</u>					

#### MCM 4: BMP 2: CONSTRUCTION SITE PLAN REVIEW

- 4.2.1 The City will coordinate maintenance of site plan review procedures in the MS4 Construction Stormwater (CSW) Program, which references local regulatory mechanisms that define the following:
  - Authority to conduct construction site plan reviews for all land development and building projects that will disturb at least one acre of soil surface alone or as part of a larger common plan of development or sale.
  - Minimum requirements for site plan submittals to address construction erosion, sediment and waste control best management practices.
  - Minimum standards by reference for design of construction erosion, sediment and waste control best management practices.
  - Basis for selecting certain sites for site plan review.
  - Current policies, staff, contact information and required procedures for construction site plan review.

Referenc	e	Frequency	
City Muni	cipal Code Chapter 12, CSW Program	Update:	
		Review: Annually	
Report:  We have one department who handles all of the construction projects. Lexington is a smaller community with less development than most. We team with developers to help them with construction activities.			

4.2.2 The City will conduct and record site plan reviews for all land development and building projects that will disturb at least one acre of soil surface alone or as part of a larger common plan of development or sale.

Reference:	Construction Stormwater Plan Review Tracking Form					
Responsible:	Stormwater Coordinator	Frequency:		nually		
Goals:		Report:		Measure		
ADMINISTRATION: Complete construction stormwater site plan review form for every land development and building project that will disturb at least one acre of soil surface alone or as part of a larger common plan of development or sale.		GOAL: 100%		100%		
stormwater site	S: Record when construction plan submittal requirements ed and required revision and	GOAL: 100%		100%		

#### MCM 4: BMP 3: CONSTRUCTION SITE INSPECTIONS

- 4.3.1 The City will coordinate review and maintenance of site inspection procedures in the MS4 Construction Stormwater (CSW) Program, which references local regulatory mechanisms that define the following:
  - Local regulatory mechanism(s) that effectively defines and enables authority to conduct site inspections
  - Minimum standards by reference for installation and maintenance of construction erosion, sediment control best management practices.
  - Minimum standards by reference for installation and maintenance of waste control best management practices.
  - Current policies, staff, contact information, frequency and required procedures for routine municipal inspections of public and private construction projects.
  - Minimum required frequency and information for construction operator self-inspections.

Reference	Frequency
City Municipal Code Chapter 12, CSW Program	Update:
	Review: Annually
Report: http://info.cityoflex.com/stormwater/2024/inspections.pdf	

# 4.3.2 Conduct site inspections for construction projects to document construction stormwater installation and maintenance compliance.

Reference:	Construction Stormwater Plan R	eview Tracking Form	Construction Stormwater Plan Review Tracking Form					
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually					
Goals:		Report:		Measure				
ADMINISTRATION: Record the total number of active construction site inspections conducted during reporting period.		GOAL: Total Number co	nducted	27				
land developme inspection for er	Every private building lot and not received municipal oversight cosion and sediment control an early (routine) during the period action.	GOAL: 100%		100%				
EFFECTIVENESS: Every public project with an NPDES permit completes routine stormwater inspections on a frequency required in the permit authorization (routine).		GOAL: 100%		100%				
that have non-coconstruction sto	: All active construction projects ompliance with local rmwater requirements receive a ction within one week.	GOAL: 100%		100%				
EFFECTIVENESS: All information provided from the public about stormwater management of an active construction site leads to an inspection or a documented reason why an inspection was not conducted.		GOAL: 100%		100%				
conditions and it exist for the pro	: Record soil stabilization f unresolved non-compliance ject at time of all close-out ired before municipal approval	<b>GOAL</b> : 100%		100%				

#### MCM 4: BMP 4: CONSTRUCTION STORMWATER EDUCATION

- 4.4.1 Coordinate updates and maintenance of educational and training information for distribution related to impacts of construction stormwater pollution in the Public Education and Outreach Strategy, which references the following:
  - Establishment of a training program and distribution method with at least one target message related to Construction Stormwater Program Requirements (i.e., erosion and sediment controls, soil stabilization, dewatering, pollution prevention, prohibited discharges, surface outlets, plan submittal, site inspection, and enforcement) every reporting year.
  - Defines training that municipal staff primarily responsible for permitting, plan review, construction site inspections, and enforcement receive.
  - Defines the resources used and frequency for distributing information related to construction stormwater pollution.

Reference:				Frequenc	y:	
The City of Lexingt	on PEO Strategy			Annually		
Description	Target Audience	Messages	Methods/Resources		Last Provided	Next Due
Required Standards	Municipal Staff and Public	Prevent construction-related stormwater pollution by following City policy and standards.	City of Lexington— Construction Stormw Program and Approv Stormwater Design N links available on we available by request.	ed Manual bsite,	2024	2025
Construction Stormwater BMP Pocket Guide	Municipal Staff and Public	Prevent construction- related stormwater pollution by selecting and installing appropriate BMPs.	Downloadable from Available at City Hall		2024	2025

Report: Links are available to all the CSW components and available via flash drive Contractor Training Log

# 4.4.2 Distribute education and training information related to construction stormwater pollution.

Reference:	Education and Outreach Strategy Tracking Form			
Responsible:	Stormwater Coordinator	Frequency:	nnually	
Goals:		Evaluation and Assessme	nt:	Performance:
ADMINISTRATION: Construction site operators can obtain information about BMPs and requirements for minimizing pollutants discharged from construction sites each year.		Total number of pocket gu distributed-	ides	5
<b>EFFECTIVENESS</b> : Distribute training information to all (100%) Municipal Employees responsible for permitting, plan review, construction site inspections, and enforcement.		100%		100%
EFFECTIVENESS: Target audience sector of Construction Site Operators had educational information made available to them in the reporting year.		100%-Flash Drive with Edu Material has been delivere construction CSW permit h	d to all	100%

Report: The pocket guide was distributed in the form of a flash drive with CSW information. Flash Drive with Educational Material has been delivered to all construction CSW permit holders. Link for training component completion by City Staff. Contractor Training Log

#### MCM #5 POST-CONSTRUCTION STORMWATER MANAGEMENT

#### POST-CONSTRUCTION STORMWATER MANAGEMENT DECISION PROCESS AND RATIONALE

The purpose of this MCM is to ensure the quality of water leaving a previously completed construction site remains continuously treated prior to leaving the property. With the implementation of specifically required **Stormwater Treatment Facilities (STF's)** the quality of water will have the best chance of remaining clean prior to entering receiving waters. These STF's will be monitored and maintained based on official Maintenance Agreements signed by the owner and the City.

The City of Lexington requires post-construction stormwater runoff from new development and redevelopment to be treated through different Stormwater Treatment Facilities (STF's). Rain Gardens, Bioswales, Sediment Forebays and Regional Detention Facilities will all be acceptable STF's within the City Limits. These were chosen based on their performance, accessibility, and aesthetics.

The City of Lexington has created an ordinance as it relates to Post-Construction Stormwater. This ordinance refers to a 'Post Construction Stormwater Management Program' and there are penalties of different severity upon non-compliance. These were chosen due to their positioning within the Municipal City Code.

'New Development' refers to any new construction project that has been platted after 2017 'Redevelopment' refers to any construction on existing property that affects more than one acre of impervious surface area. The sites that are exempt from the Post-Construction Program Requirements are those that were platted prior to 2017.

The City of Lexington Post Construction Stormwater Program provides a submittal checklist that describes the required information on each Site for proper selection and completion of a Post-Construction site plan review when applications for construction are submitted for approval. This checklist will be made available online, at the Public Works Department upon the developer's introduction of the plan to the City. Once the proper specifications have been implemented, then the site plans are up for review on a department by department basis. The Stormwater Manager will observe the Post-Construction specifications and site plan.

The City of Lexington will require a series of inspections of the constructed Stormwater Treatment Facilities to insure proper functionality of the Stormwater Treatment Facilities. These inspections will be performed by a licensed engineer in the State of Nebraska prior to completion of the development project. City Ordinance outlines requirements for these STFs to function appropriately in perpetuity.

The prioritization and procedures for inspection and enforcement for Post Construction STFs are identified in the Post-Construction Stormwater Management Program. Enforcement will be conducted through maintenance agreements, and inspections are allowed by the owner whenever the City wishes to perform them.

The City of Lexington Stormwater Manager is responsible for the implementation of the Construction Stormwater Program. It is the Stormwater Manager who creates and inspects the Stormwater Pollution Prevention Plans (SWPPP) for Municipal projects greater than one acre. The Stormwater Manager communicates directly with the developers and contractors as needed to resolve non-compliancy.

The City of Lexington has implemented 'Effectiveness Measures,' found throughout the Post Construction Stormwater MCM, to evaluate the success of the Program. These 'Effectiveness Measures' are tabulated each year and identified within each Annual Report submitted to NDEE.

#### MCM 5: BMP 1: POST-CONSTRUCTION STORMWATER CONTROL AUTHORITY

- 5.1.1 Coordinate maintenance of enforceable authority and escalation procedures in the MS4 Post-Construction Stormwater (PCSW) Program, which references the following local regulatory mechanism(s) that effectively:
  - Defines and enables municipal enforcement for permanent stormwater quality treatment facilities.
  - Defines and requires permanent stormwater quality treatment facility implementation for new development and redevelopment projects and the effective date of the requirement.
  - Defines and establishes a range of penalty options and when they will be used to ensure compliance.

Reference	Frequency
City of Lexington - City Code	Review: Annually
Report:	

5.1.2 Conduct enforcement procedures for permanent stormwater treatment facility non-compliance and/or non-compliance.

Reference:	Post-Construction Stormwater Treatment Facility (STF) Enforcement Tracking Form,			
Responsible:	Stormwater Coordinator	Frequency:	On-going	Annually
Goals:		Report:		Measure
date enforceme compliance or v steps taken to re each instance of	ON: Record responsible party, nt initiated, reason for non-iolation, status, enforcement esolve, and final resolution of potential non-compliance with on stormwater treatment.	GOAL: Total Number recorded.	of instances	
plan investigation	i: Initiate enforcement response on within seven days of potential non-compliance	<b>GOAL</b> : 100%		
once a week wit	: Open records are updated th current status and any new il the issue is resolved.	<b>GOAL</b> : 100%		

#### MCM 5: BMP 2: STORMWATER TREATMENT PLAN REVIEW

- 5.2.1 Coordinate maintenance of site plan review procedures in the MS4 Post-Construction Stormwater (PCSW) Program, which references and defines the following:
  - Local regulatory mechanism(s) that effectively defines and enables authority to conduct stormwater treatment plan reviews.
  - Minimum treatment volume with calculation method, volume treatment design criteria, and stormwater treatment practice design standards by reference for design of permanent stormwater treatment practices.
  - Maximum allowable impervious cover by land use zone.
  - Minimum requirements for post-construction stormwater treatment plan submittals to satisfy structural and non-structural stormwater treatment standards.

Reference	Frequency
Lexington City Code, PCSW Program Sections 2 and 3, Appendices	Review: Annually
Report:	

5.2.2 Conduct site plan review for stormwater treatment design compliance.

Reference:	Post-Construction Stormwater Treatment Development Review Tracking Form			
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually	
Goals:		Report:		Measure
treatment desig	ON: Complete stormwater neview form for every new d redevelopment project.	GOAL: Recorded		
ADMINISTRATION: Record date of STF Certification and as-built record drawings received with all required information including updated STF design tables if field modifications were made.		GOAL: Recorded		
requirements fo redevelopment	: Record when STF design r new development and projects were not satisfied and n and resubmittal.	GOAL: Recorded		
drawings are red	: Complete as-built record eived within one year of val for project completion.	GOAL: 100%		
Report:		1		, 

#### MCM 5: BMP 3: STORMWATER TREATMENT SITE INSPECTIONS

- 5.3.1 Establish and review site inspection procedures in the MS4 Post-Construction Stormwater (PCSW) Program, which define and reference the following:
  - Local regulatory mechanism(s) that effectively defines and enables authority to conduct site inspections.
  - Minimum standards by reference for installation and maintenance of stormwater treatment practices.
  - Minimum required timing and information for construction operator self-inspections prior to receiving municipal approval constructed STFs.
  - Minimum required timing and information for property owner self-inspections following municipal approval of constructed STFs.
  - Current policies, staff, contact information, frequency and required procedures for municipal inspections prior to approving STFs constructed for the project.
  - Minimum required timing and information for municipal inspections following municipal approval of constructed STFs.

Reference	Frequency
Lexington City Code, PCSW Program	Review: Annually
Report:	

# 5.3.2 Conduct site inspections for new development and redevelopment projects to document post-construction stormwater treatment facility (STF) installation and maintenance compliance

Reference:	Post Construction Stormwater Treatment Facility Inspection Tracking Form			
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually	
Goals:		Report:	Measure	
	ION: Record last date of wner for STFs submitted or eview.	GOAL: 100%		
	ION: Record last date of Junicipality for STFs.	<b>GOAL</b> : 100%		
from design pla certification, ar	S: Record modifications made ns, engineer name providing and anticipated date as-built will be submitted to the City.	GOAL: 100%		
condition, main	S: Always record current itenance planned, and next illicant inspection date.	GOAL: 100%		
constructed cor observations ar	S: Always record final ndition at time of inspection, and on-going municipal inspection re municipal approval is given.	GOAL: 100%		
condition, main	S: Always record current stenance planned, and next slicant inspection date	GOAL: 100%		
the City for eac	<b>S</b> : Inspections are completed by h completed project within 90-municipal approval of completed	<b>GOAL</b> : 100%		
the City within information req	S: Inspections are conducted by fourteen days following an quest submitted by the public of the Owner to submit a routine	<b>GOAL</b> : 100%		
the public abou approved STF le	S: All information provided from it stormwater management of an eads to an inspection or a ason why an inspection was not	<b>GOAL</b> : 100%		

Report: All STFs in the city will be evaluated and maintenance schedules will be developed. All STFs are City owned and maintained. Keeping track of ongoing maintenance is nearly impossible. City staff moves quickly and multiple departments touch the maintenance activities of the STFs. We will continue to develop a system that allows the maintenance to be tracked across multiple departments, many of which have seasonal employees and high turnover in the positions of authority. More development of a tracking system and training will have to take place. However, we are pleased with the level and amount of maintenance that is being completed.

#### MCM #6 GOOD HOUSEKEEPING AND POLLUTION PREVENTION

#### GOOD HOUSEKEEPING AND POLLUTION PREVENTION DECISION PROCESS AND RATIONALE

The purpose of this MCM is to minimize the effect of the municipality's efforts to the contribution of stormwater pollutants into receiving waters. Operations have been identified that have the greatest likelihood to cause pollution to stormwater runoff. The facilitators of these operations are educated and trained in Standard Operating Procedures for reducing pollutants from entering the storm sewer system.

The City of Lexington is responsible for the stormwater pollution that its municipal operations and maintenance activities create. Pollution Prevention activities and procedures such as training, standard operating procedures, and record-keeping help minimize the affect our actions take on the environment. The Operations Water Quality Guide identifies these implemented processes and can be found at the City of Lexington Public Works Department.

The City of Lexington has different departments that create stormwater pollution. Several formats of training have been given to the members of these departments. Presentations and training videos are given to the employees regarding Stormwater Pollution Prevention. The Operations Water Quality Guide has a description of all training provided to City staff.

The City of Lexington performs many procedures to document our efforts against stormwater pollution from maintenance activities. There are proper standard operating procedures for street sweeping activities for city employees to follow. These policies and procedures are documented in the Operations Water Quality Guide, which can be found at the City of Lexington Public Works Department.

The City of Lexington Stormwater Manager is responsible for the overall management and implementation of the Good Housekeeping and Pollution Prevention Program. It is the responsibility of each Department/Division involved to implement their activities and report to the Stormwater Manager upon enquiry.

The City of Lexington has created and installed 'Effective Measures' throughout the Good Housekeeping and Pollution Prevention MCM. These effectiveness measures are identified for all BMP's and reported as a measurable goal through the process of our Annual Report submitted to NDEE.

#### MCM 6: BMP 1: MUNICIPAL FACILITY MAINTENANCE ACTIVITIES

- 6.1.1 Coordinate reviews and updates of municipal facility evaluation and maintenance policy information in the MS4 Operations Environmental Program Guide, defines and describes the following:
  - A listing and maps of all MS4 facilities, including storage yards, which are subject to maintenance activity best management practice policies.
  - Lists of industrial facilities owned or operated by the City subject to NPDES Industrial Storm Water Discharge Permit with Notice of Intent or certificate of No Exposure for each facility attached.
  - High Priority risk assessment policies for municipal maintenance facilities.
  - Content and purpose of a Facility Runoff Control Plan developed for high priority municipal maintenance facilities.
  - Describes building and grounds, vehicles and equipment (including maintenance, fueling and washing), product materials (including de-icing materials), bulk fluid storage and waste materials (including dredge spoil, accumulated sediments, floatables, debris, salvage products for reuse, and recyclables) best management practice policies for municipal maintenance facilities.
  - Current policies, frequency, staff, contact information and required procedures for municipal facility site inspections, and time period for resolving identified maintenance.

Reference	Frequency
Operations Environmental Guide, Section	Review: Annually

Report: Portions of the guide are available. The guide will be finalized by June 1, 2023.

The manual will define high priority facilities as: "High-priority facilities means facilities owned or operated by the permittee that actively engage in one or more of the following activities: (i) composting, (ii) equipment storage and maintenance, (iii) materials storage, (iv) pesticide storage, (v) storage for public works, (vi) recycling, (vii) salt storage, (viii) solid waste handling and transfer, and (ix) vehicle storage and maintenance."

# 6.1.2 Conduct municipal facility maintenance evaluations and record results of maintenance facility activities.

facility activition	es.			
Reference:	Municipal Facility Inspections Tracking Form			
Responsible:	Stormwater Coordinator	Frequency:	On-goin	g Annually
Goals:		Report:		Measure
	ION: Record the total number of facility inspections ing reporting period.	13		
year at each m Permit authoriz	ION: Record at least one MS4 Oversight inspection per unicipal facility with an NPDES Industrial Stormwater zation (not routine or benchmark monitoring required industrial Stormwater permit holder).	1 ride along		
five years at ea	ION: Record at least one MS4 Facility Evaluation per ch municipal facility with an NPDES Industrial rmit No Exposure Certification.			
	<b>ION</b> : Record if corrective actions have been identified, and addressed for every maintenance facility during the ed.			
_	<b>ION</b> : Maintain current status of each corrective dentified but not resolved within the recommended 30-ime.			
	<b>S</b> : Record the dates and inspectors for two (2) year at each high priority maintenance facility.			
	<b>S</b> : Record the dates and inspectors for one (1) year at each low priority maintenance facility.			
municipal facili authorization v Stormwater Pe conditions inclu monitoring, ph	S: Record during oversight facility inspection of each ty with an NPDES Industrial Stormwater Permit whether facility is actively managing all Industrial rmit requirements and or No Exposure Certification uding; training, routine inspections, benchmark ysical characteristics evaluations, SWPPP information, s, and required reporting criteria.			
when final corr	<b>S</b> : Interim corrective maintenance is implemented ective actions cannot be completed within 30-days of during an inspection or complaint.			
was not resolve record and wha	S: Summarize the reason(s) corrective maintenance ed within 30-days for each corrective maintenance at communication, education and/or enforcement was a corrective maintenance resolved as soon as possible.			
Report: Inspect	tion Records			

#### MCM 6: BMP 2: MUNICIPAL ROADWAY/PARKING LOT MAINTENANCE ACTIVITIES

- 6.2.1 Coordinate updates and maintenance of municipal roadway/parking lot maintenance policy information in the Operations Water Quality Guide, which describes the following:
  - Type of roadways (streets, roads, and highways) and which parking lots are impacted by
    maintenance activity best management practice policies that control floatables and other pollutants
    to the MS4.
  - Current policies, frequencies and/or schedule, staff, equipment, contact information and required procedures for street and parking lot sweeping activities, and equipment calibration.
  - Procedures for transportation and disposal of floatables and other pollutants collected as a result of roadway and parking lot maintenance activities.

Reference	Frequency
Operations Environmental Guide, Section	Review: Annually
Report:	

#### 6.2.2 Conduct and report municipal roadway and parking lot maintenance

Reference:	Municipal Sweeping Operations Tracking Form			
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually	
Goals:		Report:		Measure
	<b>N</b> : Report hours of equipment r of lane miles of streets swept.	GOAL: Recorded		Yes
ADMINISTRATIO parking lots swep	N: Report number and dates of t.	GOAL: Reported.		No
	Verify that all public streets listed ntenance plan were swept at least the year.	GOAL: 100%		No
	All parking lots on the parking lot were swept at least once during	GOAL: 100%		No
non-routine swee of sweeping even	Report number of instances that ping was requested and the number ts provided to address a public rnal identification that non-routine was needed.	GOAL: 100%		No

Report: The City will require more training for record keeping with the operators of the street sweepers. While the sweeping was completed based on the records shown, the records do not reflect what is needed per our manual. <a href="Sweeping Log">Sweeping Log</a>

#### MCM 6: BMP 3: MUNICIPAL STORM DRAIN SYSTEM MAINTENANCE ACTIVITIES

- 6.3.1 Coordinate updates and maintenance of municipal storm drain system maintenance policy information in the MS4 Operations Water Quality Guide, which defines and describes the following:
  - Procedures for inspecting and cleaning municipally-owned inlets, open channels and other drainage structures for debris.
  - Procedure to dispose of materials extracted from inlets so that no stormwater drainage system waste material will re-enter the MS4.
  - Procedures to document drainage structure maintenance activity.
  - Procedures for inspecting and sweeping municipally-owned streets.
  - Procedures to assess existing flood management locations for potential incorporation of water quality protection devices or practices.
  - Procedure to dispose of materials swept so that waste material will not re-enter the MS4.
  - Procedures to require any contractors hired by the Municipality to perform maintenance activities.

Reference	Frequency
Operations Environmental Guide	Review: Annually
Report:	

6.3.2 Conduct municipal storm drain system maintenance.

Reference:	Municipal Stormwater Operations Tracking Form			
Responsible:	Stormwater Coordinator	Frequency: On-going Annually		nually
Goals:	ORM DRAIN INLET MAINTENANCE	Report:		Measure
ADMINISTRATI	ON: Report hours of equipment per of storm drains cleaned.	GOAL: Recorded		171
<b>EFFECTIVENESS</b> : All storm drain inlets listed on the storm drain system maintenance plan were cleaned once every five (5) years.		<b>GOAL</b> : 100%		
EFFECTIVENESS: Report number of instances that non-routine storm drain inlet cleaning was requested and the number of storm drain cleaning events provided to address a public information request or internal identification that non-routine storm drain inlet cleaning was needed.		<b>GOAL</b> : 100%		0
EFFECTIVNESS:	Replace Storm Drain Markings	<b>GOAL:</b> 25 inlets per year		25 completed
Maintenance M	laps_			

MUNICIPAL STORM DRAIN PIPE MAINTENANCE						
<b>ADMINISTRATION</b> : Report hours of equipment usage and lineal feet of drainage system cleaned.	GOAL: Recorded	14,673 Lineal Feet per GIS				
<b>EFFECTIVENESS</b> : All of storm drain pipes listed on the storm drain system maintenance plan were cleaned once every ten (10) years.	GOAL: 100%					
EFFECTIVENESS: Report number of instances that non-routine storm drain pipe cleaning was requested and the number of storm drain pipe cleaning events provided to address a public complaint or internal identification that non-routine storm drain pipe cleaning was needed.	GOAL: 100%	0				
MUNICIPAL STORMWATER DETENTION/RETENTION AREA MAINTENANCE						
<b>ADMINISTRATION</b> : Report hours of equipment usage and detention/retention areas cleaned and maintained.	GOAL: Recorded	Not Recorded				
EFFECTIVENESS: Verify that all detention/retention areas listed on the storm drain system maintenance plan were cleaned once every ten (10) years.	GOAL: 100%	True, not recorded.				
EFFECTIVENESS: Report number of instances that non-routine detention/retention area cleaning was requested and the number of detention/retention cleaning events provided to address a public complaint or internal identification that non-routine detention/retention cleaning was needed.	GOAL: 100%	0				

Report: The City will require more training for record keeping with the maintenance crews. While the maintenance was completed based on the records shown, they records do not reflect what is needed per our manual.

## MCM 6: BMP 4: MUNICIPAL OPERATION AND MAINTENANCE PROGRAM TRAINING

- 6.4.1 Coordinate updates and maintenance of training materials for distribution related to reducing stormwater pollution from municipal operation and maintenance activities in the Public Education and Outreach Strategy, which defines the following:
  - Target messages and distribution methods for pollution prevention or reduction training related to municipal operation and maintenance activities.
  - At least one target message for Public Employees involved in Parks and Recreation Operation and Maintenance Activities every reporting year.
  - At least one target message for Public Employees involved in Transportation and Utilities Operation and Maintenance Activities every reporting year.
  - At least one target message for Public Employees involved in Storm Sewer Operation and Maintenance Activities every reporting year.

Poforonco:						
Reference:			Frequency:			
The City of Lexington PEO Strategy			Annually			
Description	Target Audience	Messages	Methods/Resources		Last Provided	Next Due
Standard Procedures	City Staff involved with O&M	Prevent pollution from municipal operations throughout the City.	City of Lexington— Operations Water Quality Guide		2024	2025
Maintenance Facility Runoff Control Plans	City Staff involved with O&M	Prevent pollution from municipal operations at municipal maintenance facilities.	Three Facility Runoff Control Plans (Street, Water, and Electrical Departments)		2024	2025
Municipal Good Housekeeping Training	City Staff involved with O&M	Prevent pollution from municipal operations throughout the City.	Live Training or Video		2024	2025
Report:						

# 6.4.2 Deliver training related to pollution prevention and reduction from municipal operation and maintenance activities conducted by Municipal Employees.

Reference:	Education and Outreac	Education and Outreach Strategy Tracking Form			
Responsible:	Stormwater Coordinator Frequency:		On	Ongoing Annually	
Goals:		Eval	uation and Assess	sment:	Performance:
ADMINISTRATION: Deliver tr Employee sectors identified t for the reporting year.	•	1009	%		Completed
EFFECTIVENESS: Management Open Space, Fleet and Building Stormwater Treatment, and Stormwater and Operation even numbered calendar year	ng, Permanent Storm Sewer received training every	75%			Completed
EFFECTIVENESS: Non-management, non-seasonal staff for Parks and Open Space, Fleet and Building, Permanent Stormwater Treatment, and Storm Sewer Maintenance and received training every odd numbered calendar year.		75%			Completed
EFFECTIVENESS: Seasonal staff for Parks and Open Space, Fleet and Building, Permanent Stormwater Treatment, and Storm Sewer Maintenance and received training every calendar year.		75%			Completed
Report: <u>Training Logs</u> Trainin	g is done annually.				

## MS4 PROGRAM SUPPORTING DOCUMENTS

## CONSTRUCTION STORMWATER (CSW) PROGRAM DOCUMENT

http://info.cityoflex.com/stormwater/CSW.pdf

# POST-CONSTRUCTION STORMWATER (PCSW) PROGRAM DOCUMENT

http://info.cityoflex.com/stormwater/postconstruction.pdf

## **OPERATIONS ENVIRONMENTAL GUIDES**

**Street Sweeping Procedure** 

Storm Drain System Maintenance Procedure

#### ILLICIT DISCHARGE DETECTION AND ELIMINATION PROGRAM MANUAL

http://info.cityoflex.com/stormwater/IDDE.pdf

## STORMWATER ORDINANCE

http://info.cityoflex.com/lex ords&res/ordinances/2010/2291ORD.pdf